





Fig. 1 to Fig. 7 are views of the invention, showing the same in perspective, side elevation, and end elevation, respectively. The invention is a device for the purpose of...

The device consists of a main body 1, a handle 2, and a spring 3. The handle 2 is connected to the main body 1 by a hinge 4. The spring 3 is attached to the main body 1 and the handle 2. The device is adapted for use in the following manner...

When the handle 2 is moved from its normal position to the position shown in Fig. 2, the spring 3 is compressed. When the handle 2 is released, the spring 3 expands and returns the handle 2 to its normal position. This action is repeated as often as desired.

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...

Fig. 8 to Fig. 10 are views of the invention, showing the same in perspective, side elevation, and end elevation, respectively. The invention is a device for the purpose of...

The device consists of a main body 1, a handle 2, and a spring 3. The handle 2 is connected to the main body 1 by a hinge 4. The spring 3 is attached to the main body 1 and the handle 2. The device is adapted for use in the following manner...

When the handle 2 is moved from its normal position to the position shown in Fig. 9, the spring 3 is compressed. When the handle 2 is released, the spring 3 expands and returns the handle 2 to its normal position. This action is repeated as often as desired.

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...

Fig. 11 to Fig. 13 are views of the invention, showing the same in perspective, side elevation, and end elevation, respectively. The invention is a device for the purpose of...

The device consists of a main body 1, a handle 2, and a spring 3. The handle 2 is connected to the main body 1 by a hinge 4. The spring 3 is attached to the main body 1 and the handle 2. The device is adapted for use in the following manner...

When the handle 2 is moved from its normal position to the position shown in Fig. 12, the spring 3 is compressed. When the handle 2 is released, the spring 3 expands and returns the handle 2 to its normal position. This action is repeated as often as desired.

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...

Fig. 14 to Fig. 16 are views of the invention, showing the same in perspective, side elevation, and end elevation, respectively. The invention is a device for the purpose of...

The device consists of a main body 1, a handle 2, and a spring 3. The handle 2 is connected to the main body 1 by a hinge 4. The spring 3 is attached to the main body 1 and the handle 2. The device is adapted for use in the following manner...

When the handle 2 is moved from its normal position to the position shown in Fig. 15, the spring 3 is compressed. When the handle 2 is released, the spring 3 expands and returns the handle 2 to its normal position. This action is repeated as often as desired.

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...

Fig. 17 to Fig. 19 are views of the invention, showing the same in perspective, side elevation, and end elevation, respectively. The invention is a device for the purpose of...

The device consists of a main body 1, a handle 2, and a spring 3. The handle 2 is connected to the main body 1 by a hinge 4. The spring 3 is attached to the main body 1 and the handle 2. The device is adapted for use in the following manner...

When the handle 2 is moved from its normal position to the position shown in Fig. 18, the spring 3 is compressed. When the handle 2 is released, the spring 3 expands and returns the handle 2 to its normal position. This action is repeated as often as desired.

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...

The device is particularly adapted for use in the following manner...







